

Safety Pool Cover Measuring Form

For a free no obligation quote send completed forms via email to Support@Wonderland.com or Fax to 1-888-494-0982

Have Questions? Call US: This form can be easily filled out & sent using the Adobe Fill & Sign app for your mobile device. 1-888-317-2968 □ Order Company Name Date _____ **Estimate COPING COVER TYPE COVER COLOR SPACING** ANCHOR TYPE ☐ 12-Yr. Standard Mesh ☐ Green ■ Blue □ 5′x 5′ ■ Concrete Is it abrasive? Y □ N □ ☐ 15-Yr. Super Mesh ☐ Green ☐ Blue □ 3′x 3′ ☐ Wood Deck Type: _____ ☐ 15-Yr. Ultra Solid ☐ Green ■ Blue ☐ Lawn/Brick ☐ 25-Yr. Commercial Mesh ☐ Black SOLD TO: FILL IN POOL DIMENSIONS BELOW Name G. _____ Address H. _____ City ______ State _____ Zip _____ Phone # _____ Fax # _____ Email: PLEASE MARK YOUR POOL TYPE BELOW AND FILL IN ALL MEASUREMENTS PROVIDE DRAWING TO SHOW STEP LOCATION AND DIMENSIONS AND ANY CUTOUT INFORMATION **RECTANGLE GRECIAN OVAL** C = G + E + GD = H + F + HC D LAZY L TRUE L **ROMAN** C = G + E + GIndicate Left or Right "bend" from deep D = H + F + Hto shallow end - Lazy L Right shown Н D D

THE ABOVE POOL TYPES ARE MADE WITH 5'X5' SPACING UNLESS OTHERWISE SPECIFIED

ADDITIONAL REQUIRED INFORMATION

12. Raised wall or Raised Bond Beam:


Please submit labelled photos for pools with complex features!

corners of open spillway.

Cutouts may be required if objects are within 18" of pool. Pt# to Pt# Please provide A-B dimensions to locate object. Give A-B dimensions at beginning of wall, as well as along wall to end of wall. Height?_____ All non-removable obstacles. 13. Waterfall or Rock Formation: Pt# to Pt# 1. Grabrails: Pt# to Pt# Distance rails are set back from pool _____ Furnish points at beginning, middle, end of formation. Always use approximate 1' intervals between points. Pt# to Pt# 2. Handrails: Distance rails extend into pool 14. Varying Deck Levels: Pt# to Pt# step 1: Pt# to Pt# 3. Ladders: A-B dimensions require indicating angle of the deck **Ladder Cups** from pool wall, out onto deck. Height?_____ (if cutout needed) Pt# to Pt# Pt#____to Pt#____ step 2: How far does ladder extend into pool? _____ step 3: Pt#_____to Pt#____ 15 Wood Deck: Yes _____ No _____ Pt# 4. Fillspout: Dimensions & distance from pool: _____ Are wood deck anchor flanges required Yes No How high if raised? _____ Indicate partial wood deck areas: Pt# to Pt# Pt# to Pt# Dive Stand: 16. Commercial Pool: 6. Slide Legs: Skimmer Pt# to Pt# (within 2 ft) Gutter_____ Distance legs are back from pool _____ If gutter pool, _____ indicate dimension of gutter _____ Pt#____to Pt#____ 7. Dive Rocks: *Covers over 2000 sq. ft. must be made in 3x3 sections. Distance back from pool Give several points along rock, (left side, front side, Additional Requirements right side) Pt#_____to Pt#____ 8. Grab Rocks: Distance back from pool _____ Type and width of coping: _____ and _____ 10. Planter or grass area: Pt#_____to Pt#____ Pt#____to Pt#____ 11. Spa: Separate cover required Yes ______No _____ How high is spa? Is spa wall flush with top of coping? Yes ____ No ____ Yes _____ No ____ Open Spillway: If yes: To locate spillway Pt# to Pt# Give points all around spa and points at all four

POOL TYPE			VINYL GUNITE package pool brand					OTHER							
Overall length, fron						m point			to point			(longest point).			
Overall width, from po											(widest point).				
Additional cross dimensions: Pt#															
Pt# to Pt#=															
* The	distanc	e betw	een A an	nd B is _											
Show	AB in	relatio	n to the	pool (o	n sketch	n)									
* Indic	cate are	eas whe	ere the d	eck is le	ss than	4' from w	/aterlin	e of the	e pool						
No.	Α	В	No.	Α	В	No.	Α	В	No.	А	В	No.	А	В	
]					<u>Б</u>	1		 			<u>Б</u>	
1			17			33			49			65			
2			18			34			50			66			
3			19			35			51			67			
4			20			36			52			68			
5			21			37			53			69			
6			22			38			54			70			
7			23			39			55			71			
8			24			40			56			72			
9			25			41			57			73			
10			26			42			58			74			
11			27			43			59			75			
12			28			44			60			76			
13			29			45			61			77			
14			30			46			62			78			
15			31			47			63			79			
16			32			48			64			80			

PLEASE ANSWER ALL QUESTIONS ON BACK OF PAGE



A-B MEASURING INSTRUCTIONS

Necessary for all free-form pools and ovals w/ step other than center end.

- 1. a. Draw a sketch of the pool shape on the grid provided.
 - b. To represent your A-B line, mark 2 points on the deck in a straight line approximately 3'-4' from the pools edge and about two-third's (2/3) the length of the pool. "A" must always be to the left of "B" as you face the pool.
 - c. Make sure the pool is totally in front of the A-B line. This is a must because your measurements will be incorrect if this instruction is not observed.
 - d. Measure the A-B line, and on your sketch, note its length and position in reference to the pool.
- 2. a. Use chalk to mark and number points clockwise around the entire pool at approximately 3 foot intervals. Point #1 must be directly across from the center point of your A-B line. Make sure your marks are on the inside edge of the pool. Make each step corner a numbered point. Measure sharp curves and angles at 1'to 2' intervals or less. Any obstructions such as ladders, slides, rocks, waterfalls, etc. should be a numbered point. Measure these last after complete all pool points.
 - b. Obstructions away from the water's edge but within the 18" overlap area should be numbered last on the A-B form, not in succession as you measure around the pool's edge.
 - c. Make sure to include steps, ladders, waterfalls or any other non-removable obstruction on your sketch.
- 3. Record measurements from point A and B to all the points you have marked around pool perimeter.
 - a. Secure the end of your 100 ft. measuring tape to "A" on your A-B line and measure the distance to point #1 and note the distance in the "A" column on the chart provided. Continue around the pool until you have recorded all your points with an "A" measurement.
 - b. Secure the end of your 100 ft. measuring tape to "B" and repeat the step above from "B" on your A-B line.
- 4. a. Take 3-4 diagonal measurements randomly from numbered points on the pool and note in the spaces provided.

Items such as slide legs, ladders (that are not removable), etc. that are with 2' of pool will be cutouts.

Measure these items after all pool points are finished.

